















- [15] J. P. McCrae, "The Linked Open Data Cloud," [Online]. Available: <https://lod-cloud.net/>. [Accessed: Aug. 1, 2024].
- [16] Y. Kim, J. Lee, S. Oh, J. Kim, J. Mok, C. Noh, and S. Park, "An approach to enrich the structure of the Web of Linked Data," presented at The 7th Int. Conf. Interdisciplinary Research on Computer Science, Psychology, and Education (ICICPE' 2023), 2023.
- [17] Nirmaljit Singh and Harmeet Singh, "A Comprehensive Review of Similarity Based Link Prediction Methods for Complex Networks including Computational Biology," *Journal of Advanced Zoology*, vol. 44, no. S6, pp. 1281–1294, Dec. 2023, doi: 10.17762/jaz.v44is6.2433.
- [18] I. Nadim, Y. El Ghayam, and A. Sadiq, "Semantic Annotation of Web of Things Using Entity Linking," *International Journal of Business Analytics*, vol. 7, no. 4, pp. 1–13, Oct. 2020, doi:10.4018/ijban.2020100101.
- [19] Li, N.; Schockaert, S. Ontology Completion Using Graph Convolutional Networks. In Proceedings of the SEMWEB, Auckland, New Zealand, 26–30 October 2019.
- [20] S. Mežnar, M. Bevec, N. Lavrač, and B. Škrlj, "Ontology Completion with Graph-Based Machine Learning: A Comprehensive Evaluation," *Machine Learning and Knowledge Extraction*, vol. 4, no. 4, pp. 1107–1123, Dec. 2022, doi: 10.3390/make4040056.
- [21] S. Mhammedi and N. Gherabi, "Heterogeneous Integration of Big Data Using Semantic Web Technologies," *Intelligent Systems in Big Data, Semantic Web and Machine Learning*, pp. 167–177, 2021, doi:10.1007/978-3-030-72588-4\_12.
- [22] T. Mikolov, K. Chen, G. Corrado and J. Dean, "Efficient estimation of word representations in vector space", *Proc. 1st Int. Conf. Learning Representations*, 2013.
- [23] J. Samuels and J. Samuels, "Exploring novel approaches in word embeddings: A comparative analysis of Word2Vec Skip-Gram models," *ResearchGate*, 2024.
- [24] L. da F. Costa et al., "Analyzing and modeling real-world phenomena with complex networks: a survey of applications," *Advances in Physics*, vol. 60, no. 3, pp. 329–412, Jun. 2011, doi:10.1080/00018732.2011.572452.
- [25] T. J. Lakshmi and S. D. Bhavani, "Link prediction approach to recommender systems," *Computing*, vol. 106, no. 7, pp. 2157–2183, Oct. 2023, doi: 10.1007/s00607-023-01227-0.
- [26] M. Zhang, "Graph Neural Networks: Link Prediction," *Graph Neural Networks: Foundations, Frontiers, and Applications*, pp. 195–223, 2022, doi: 10.1007/978-981-16-6054-2\_10.
- [27] M. Zhang and Y. Chen, "Link prediction based on graph neural networks", *Proc. NeurIPS*, pp. 5165-5175, 2018.
- [28] N. Noy, Y. Gao, A. Jain, A. Narayanan, A. Patterson, and J. Taylor, "Industry-scale Knowledge Graphs: Lessons and Challenges," *Queue*, vol. 17, no. 2, pp. 48–75, Apr. 2019, doi: 10.1145/3329781.3332266.
- [29] H. Paulheim, "Knowledge graph refinement: A survey of approaches and evaluation methods," *Semantic Web*, vol. 8, no. 3, pp. 489–508, Dec. 2016, doi: 10.3233/sw-160218.
- [30] A. Hogan et al., *Knowledge Graphs*. Springer International Publishing, 2022. doi: 10.1007/978-3-031-01918-0.