













- Access*, vol. 8, pp. 174922–174930, 2020, doi: 10.1109/ACCESS.2020.3023782.
- [12] N. V. Kousik, Y. Natarajan, R. Arshath Raja, S. Kallam, R. Patan, and A. H. Gandomi, “Improved salient object detection using hybrid Convolution Recurrent Neural Network,” *Expert Syst. Appl.*, vol. 166, p. 114064, 2021, doi: 10.1016/j.eswa.2020.114064.
- [13] S. Singh, U. Ahuja, M. Kumar, K. Kumar, and M. Sachdeva, “Face mask detection using YOLOv3 and faster R-CNN models: COVID-19 environment,” *Multimed. Tools Appl.*, 2021, doi: 10.1007/s11042-021-10711-8.
- [14] A. Kumar, A. Kalia, A. Sharma, and M. Kaushal, “A hybrid tiny YOLO v4-SPP module based improved face mask detection vision system,” *J. Ambient Intell. Humaniz. Comput.*, no. 0123456789, 2021, doi: 10.1007/s12652-021-03541-x.
- [15] R. Xu, H. Lin, K. Lu, L. Cao, and Y. Liu, “A forest fire detection system based on ensemble learning,” *Forests*, vol. 12, no. 2, pp. 1–17, 2021, doi: 10.3390/f12020217.
- [16] K. Lin *et al.*, “Face Detection and Segmentation Based on Improved Mask R-CNN,” *Discret. Dyn. Nat. Soc.*, vol. 2020, 2020, doi: 10.1155/2020/9242917.
- [17] S. Ampama, J. M. Kitayimbwa, and M. C. Were, “Performance of an open source facial recognition system for unique patient matching in a resource-limited setting,” *Int. J. Med. Inform.*, vol. 141, no. May, p. 104180, 2020, doi: 10.1016/j.ijmedinf.2020.104180.
- [18] V. Sunanthini *et al.*, “Comparison of CNN Algorithms for Feature Extraction on Fundus Images to Detect Glaucoma,” *J. Healthc. Eng.*, vol. 2022, 2022, doi: 10.1155/2022/7873300.
- [19] P. Peng, I. Portugal, P. Alencar, and D. Cowan, “A face recognition software framework based on principal component analysis,” *PLoS One*, vol. 16, no. 7, p. e0254965, Jul. 2021, doi: 10.1371/journal.pone.0254965.
- [20] S. Ben Chaabane, M. Hijji, R. Harrabi, and H. Seddik, “Face recognition based on statistical features and SVM classifier,” *Multimed. Tools Appl.*, vol. 81, no. 6, pp. 8767–8784, 2022, doi: 10.1007/s11042-021-11816-w.
- [21] A. Alzu’bi, F. Albalas, T. Al-Hadhrani, L. B. Younis, and A. Bashayreh, “Masked face recognition using deep learning: A review,” *Electron.*, vol. 10, no. 21, 2021, doi: 10.3390/electronics10212666.
- [22] H. Deng, Z. Feng, G. Qian, X. Lv, H. Li, and G. Li, “MFCosface: A Masked-Face Recognition Algorithm Based on Large Margin Cosine Loss,” *Appl. Sci.*, vol. 11, no. 16, p. 7310, Aug. 2021, doi: 10.3390/app11167310.
- [23] N. Ud Din, K. Javed, S. Bae, and J. Yi, “A Novel GAN-Based Network for Unmasking of Masked Face,” *IEEE Access*, vol. 8, pp. 44276–44287, 2020, doi: 10.1109/ACCESS.2020.2977386.
- [24] N. S. Rafa *et al.*, “IoT-Based Remote Health Monitoring System Employing Smart Sensors for Asthma Patients during COVID-19 Pandemic,” *Wirel. Commun. Mob. Comput.*, vol. 2022, 2022, doi: 10.1155/2022/6870358.
- [25] P. Dolibog, B. Pietrzyk, K. Kierszniok, and K. Pawlicki, “Comparative Analysis of Human Body Temperatures Measured with Noncontact and Contact Thermometers,” *Healthc.*, vol. 10, no. 2, 2022, doi: 10.3390/healthcare10020331.
- [26] A. A. Rahimoon, M. N. Abdullah, and I. Taib, “Design of a contactless body temperature measurement system using Arduino,” *Indones. J. Electr. Eng. Comput. Sci.*, vol. 19, no. 3, p. 1251, Sep. 2020, doi: 10.11591/ijeecs.v19.i3.pp1251-1258.
- [27] N. W.-J. Goh *et al.*, “Design and Development of a Low Cost, Non-Contact Infrared Thermometer with Range Compensation,” *Sensors*, vol. 21, no. 11, p. 3817, May 2021, doi: 10.3390/s21113817.
- [28] W. Xia, J. Yan, and Y. Li, “STM32-Based Contactless Temperature Measurement and Identification Device,” *IOP Conf. Ser. Earth Environ. Sci.*, vol. 692, no. 2, p. 022041, Mar. 2021, doi: 10.1088/1755-1315/692/2/022041.
- [29] Q. Xu, Z. Zhu, H. Ge, Z. Zhang, and X. Zang, “Effective Face Detector Based on YOLOv5 and Superresolution Reconstruction,” *Comput. Math. Methods Med.*, vol. 2021, 2021, doi: 10.1155/2021/7748350.
- [30] K. H. Cheah, H. Nisar, V. V. Yap, C. Y. Lee, and G. R. Sinha, “Optimizing residual networks and vgg for classification of eeg signals: Identifying ideal channels for emotion recognition,” *J. Healthc. Eng.*, vol. 2021, 2021, doi: 10.1155/2021/5599615.
- [31] J. Tian, H. Xie, S. Hu, and J. Liu, “Multidimensional Face Representation in a Deep Convolutional Neural Network Reveals the Mechanism Underlying AI Racism,” *Front. Comput. Neurosci.*, vol. 15, no. March, pp. 1–8, Mar. 2021, doi: 10.3389/fncom.2021.620281.
- [32] Z. Hu and Y. Wang, “Multiclass Interactive Martial Arts Teaching Optimization Method Based on Euclidean Distance,” *Secur. Commun. Networks*, vol. 2022, 2022, doi: 10.1155/2022/7272048.
- [33] L. Yu and X.-S. Gao, “Improve Robustness and Accuracy of Deep Neural Network with  $L_{2,\infty}$  Normalization,” *J. Syst. Sci. Complex.*, vol. 36, no. 1, pp. 3–28, 2023, doi: 10.1007/s11424-022-1326-y.
- [34] P. Huang, Q. Ye, F. Zhang, G. Yang, W. Zhu, and Z. Yang, “Double  $L_{2,p}$ -norm based PCA for feature extraction,” *Inf. Sci. (Nijl)*, vol. 573, pp. 345–359, Sep. 2021, doi: 10.1016/j.ins.2021.05.079.
- [35] S. R. Anan, M. A. Hossain, M. Z. Milky, M. M. Khan, M. Masud, and S. Aljhadali, “Research and Development of an IoT-Based Remote Asthma Patient Monitoring System,” *J. Healthc. Eng.*, vol. 2021, 2021, doi: 10.1155/2021/2192913.
- [36] K. Islam, F. Alam, A. I. Zahid, M. M. Khan, and M. Inamabbasi, “Internet of Things- (IoT-) Based Real-Time Vital Physiological Parameter Monitoring System for Remote Asthma Patients,” *Wirel. Commun. Mob. Comput.*, vol. 2022, 2022, doi: 10.1155/2022/1191434.
- [37] M. Kasper-Eulaers, N. Hahn, S. Berger, T. Sebulonsen, Ø. Myrland, and P. E. Kummervold, “Short Communication: Detecting Heavy Goods Vehicles in Rest Areas in Winter Conditions Using YOLOv5,” *Algorithms*, vol. 14, no. 4, p. 114, Mar. 2021, doi: 10.3390/a14040114.
- [38] K. Yoon, J. Gwak, Y. M. Song, Y. C. Yoon, and M. G. Jeon, “OneShotDA: Online Multi-Object Tracker with One-Shot-Learning-Based Data Association,” *IEEE Access*, vol. 8, pp. 38060–38072, 2020, doi: 10.1109/ACCESS.2020.2975912.