













- [17] Z. Lili, Y. Peiling, Z. Wengang, L. Yunkai, L. Yu, and Z. Chong, "Effects of water salinity on emitter clogging in surface drip irrigation systems," *Irrig. Sci.*, vol. 39, no. 2, pp. 209–222, 2021, doi: 10.1007/s00271-020-00690-3.
- [18] H. Mostafa, A. Moursy, M. El-Ansary, and M. Hatata, "Effects of fertigation on emitter clogging and soil infiltration rate," *Agric. Eng. Int. CIGR J.*, vol. 23, no. 1, pp. 92–99, 2021.
- [19] Y. Cai *et al.*, "Effectiveness of a subsurface irrigation system with ceramic emitters under low-pressure conditions," *Agric. Water Manag.*, vol. 243, no. 22, p. 106390, 2021, doi: 10.1016/j.agwat.2020.106390.
- [20] A. Shabbir, H. Mao, I. Ullah, N. A. Buttar, M. Ajmal, and I. A. Lakhari, "Effects of drip irrigation emitter density with various irrigation levels on physiological parameters, root, yield, and quality of cherry tomato," *Agronomy*, vol. 10, no. 11, pp. 1–15, 2020, doi: 10.3390/agronomy10111685.
- [21] T. Muhammad, B. Zhou, Z. Liu, X. Chen, and Y. Li, "Effects of phosphorus-fertigation on emitter clogging in drip irrigation system with saline water," *Agric. Water Manag.*, vol. 243, no. January 2020, p. 106392, 2021, doi: 10.1016/j.agwat.2020.106392.
- [22] Y. Wu *et al.*, "Responses of growth, fruit yield, quality and water productivity of greenhouse tomato to deficit drip irrigation," *Sci. Hortic. (Amsterdam)*, vol. 275, no. July 2020, p. 109710, 2021, doi: 10.1016/j.scienta.2020.109710.
- [23] M. Celebi, "The effect of water stress on tomato under different emitter discharges and semi-arid climate condition," *Bulg. J. Agric. Sci.*, vol. 20, no. 5, pp. 1151–1157, 2014.
- [24] B. Urlic *et al.*, "Effect of partial root-zone drying on grafted tomato in a commercial greenhouse," *Hortic. Sci.*, vol. 47, no. 1, pp. 36–44, 2020, doi: 10.17221/130/2018-HORTSCI.
- [25] C. J. Ren, Y. Zhao, B. Dan, J. Wang, J. G. Gong, and G. H. He, "Lateral hydraulic performance of subsurface drip irrigation based on spatial variability of soil: experiment," *Agric. Water Manag.*, vol. 204, pp. 118–125, 2018, doi: 10.1016/j.agwat.2018.03.034.
- [26] M. S. Imanudin, B. Bakri, S. J. Priatna, and B. Kozri, "Aplikasi Irigasi Cube Untuk Budidaya Tanaman Tomat Mendukung Smart Irigasi Daerah Perkotaan," *Semin. Nas. Hari Air Sedunia*, vol. 3, no. 1, pp. 6–9, 2021, [Online]. Available: <http://conference.unsri.ac.id/index.php/semnashas/article/view/2103>.
- [27] O. C. N. Pereira, T. P. da S. Sugiura, A. P. Pereira, A. Bertonha, and I. Previdelli, "Analysis of lettuce evapotranspiration across soil water," *Nat. Resour. Model.*, vol. 32, no. 2, 2019, doi: 10.1111/nrm.12197.
- [28] H. Piri and A. Naserin, "Effect of different levels of water, applied nitrogen and irrigation methods on yield, yield components and IWUE of onion," *Sci. Hortic. (Amsterdam)*, vol. 268, no. March, p. 109361, 2020, doi: 10.1016/j.scienta.2020.109361.
- [29] V. H. B. Nogueira *et al.*, "Variation in the flow rate of drip emitters in a subsurface irrigation system for different soil types," *Agric. Water Manag.*, vol. 243, no. March 2020, p. 106485, 2021, doi: 10.1016/j.agwat.2020.106485.
- [30] R. Muharomah, B. I. Setiawan, M. Y. J. Purwanto, and Liyantono, "Temporal crop coefficients and water productivity of lettuce (*Lactuca sativa* L.) hydroponics in planthouse," *Agric. Eng. Int. CIGR J.*, vol. 22, no. 1, pp. 22–29, 2020.
- [31] S. J. Kadhane, "Grape production assessment using surface and subsurface drip irrigation methods," 2021, doi: 10.24425/jwld.2021.137109.
- [32] Y. Cai, X. Zhao, P. Wu, L. Zhang, D. Zhu, and J. Chen, "Effect of soil texture on water movement of porous ceramic emitters: A simulation study," *Water (Switzerland)*, vol. 11, no. 1, 2018, doi: 10.3390/w11010022.
- [33] A. Sagar and P. K. Singh, "Evapotranspiration Based Micro Irrigation Scheduling of Tomato Crop under Naturally Ventilated Polyhouse," *Curr. J. Appl. Sci. Technol.*, vol. 36, no. 6, pp. 1–7, 2019, doi: 10.9734/cjast/2019/v36i630261.