











- [9] A. Hassan, M. Arif, and M. Shariq, "Use of geopolymers for a cleaner and sustainable environment – A review of mechanical properties and microstructure," *J. Clean. Prod.*, vol. 223, pp. 704–728, 2019, doi: 10.1016/j.jclepro.2019.03.051.
- [10] M. Amran et al., "Long-term durability properties of geopolymer concrete: An in-depth review," *Case Stud. Constr. Mater.*, vol. 15, no. July, p. e00661, 2021, doi: 10.1016/j.cscm.2021.e00661.
- [11] R. Nurwidayati, J. J. Ekaputri, Triwulan, and P. Suprobo, "Effect of embedment length on bond strength of geopolymer concrete," in *AIP Conference Proceedings*, 2020, vol. 2291, no. November, doi: 10.1063/5.0022838.
- [12] T. A. Le, T. N. Nguyen, and K. T. Nguyen, "Experimental, Numerical, and Theoretical Studies of Bond Behavior of Reinforced Fly Ash-Based Geopolymer Concrete," *Appl. Sci.*, vol. 12, no. 15, 2022, doi: 10.3390/app12157812.
- [13] M. F. A. Abdul Sani and R. Muhamad, "Bond behaviour of geopolymer concrete in structural application: A review," in *IOP Conference Series: Earth and Environmental Science*, 2020, vol. 476, no. 1, doi: 10.1088/1755-1315/476/1/012017.
- [14] J. S. J. Van Deventer, J. L. Provis, and P. Duxson, "Technical and commercial progress in the adoption of geopolymer cement," *Miner. Eng.*, vol. 29, pp. 89–104, 2012, doi: 10.1016/j.mineng.2011.09.009.
- [15] N. Li, C. Shi, Z. Zhang, H. Wang, and Y. Liu, "A review on mixture design methods for geopolymer concrete," *Compos. Part B Eng.*, vol. 178, no. September, p. 107490, 2019, doi: 10.1016/j.compositesb.2019.107490.
- [16] P. Pavithra, M. Srinivasula Reddy, P. Dinakar, B. Hanumantha Rao, B. K. Satpathy, and A. N. Mohanty, "A mix design procedure for geopolymer concrete with fly ash," *J. Clean. Prod.*, vol. 133, no. May, pp. 117–125, 2016, doi: 10.1016/j.jclepro.2016.05.041.
- [17] F. F. Ataie, "Influence of cementitious system composition on the retarding effects of borax and zinc oxide," *Materials (Basel)*, vol. 12, no. 15, pp. 1–13, 2019, doi: 10.3390/ma12152340.
- [18] A. Antoni, A. A. T. Purwantoro, W. S. P. D. Suyanto, and D. Hardjito, "Fresh and Hardened Properties of High Calcium Fly Ash-Based Geopolymer Matrix with High Dosage of Borax," *Iran. J. Sci. Technol. - Trans. Civ. Eng.*, vol. 44, pp. 535–543, 2020, doi: 10.1007/s40996-019-00330-7.
- [19] P. Nuaklong, K. Janprasit, and P. Jongvivatsakul, "Enhancement of strengths of high-calcium fly ash geopolymer containing borax with rice husk ash," *J. Build. Eng.*, vol. 40, no. May, p. 102762, 2021, doi: 10.1016/j.jobe.2021.102762.
- [20] F. A. Shilar, S. V. Ganachari, V. B. Patil, T. M. Y. Khan, and S. Dawood Abdul Khadar, "Molarity activity effect on mechanical and microstructure properties of geopolymer concrete: A review," *Case Stud. Constr. Mater.*, vol. 16, no. March, p. e01014, 2022, doi: 10.1016/j.cscm.2022.e01014.
- [21] J. Ma, D. Wang, S. Zhao, P. Duan, and S. Yang, "Influence of particle morphology of ground fly ash on the fluidity and strength of cement paste," *Materials (Basel)*, vol. 14, no. 2, pp. 1–18, 2021, doi: 10.3390/ma14020283.
- [22] Y. Cui, J. Liu, L. Wang, R. Liu, and B. Pang, "Effect of Fly Ash with Different Particle Size Distributions on the Properties and Microstructure of Concrete," *J. Mater. Eng. Perform.*, vol. 29, no. 10, pp. 6631–6639, 2020, doi: 10.1007/s11665-020-05108-x.
- [23] L. Xiong, Z. Wan, Y. Zhang, F. Wang, J. Wang, and Y. Kang, "Fly ash particle size effect on pore structure and strength of fly ash foamed geopolymer," *Adv. Polym. Technol.*, vol. 2019, 2019, doi: 10.1155/2019/1098027.
- [24] P. Nuaklong, A. Wongsas, V. Sata, K. Boonserm, J. Sanjayan, and P. Chindaprasirt, "Properties of high-calcium and low-calcium fly ash combination geopolymer mortar containing recycled aggregate," *Heliyon*, vol. 5, no. 9, p. e02513, 2019, doi: 10.1016/j.heliyon.2019.e02513.
- [25] X. Zhao, C. Liu, L. Zuo, L. Wang, Q. Zhu, and M. Wang, "Investigation into the effect of calcium on the existence form of geopolymerized gel product of fly ash based geopolymers," *Cem. Concr. Compos.*, vol. 103, pp. 279–292, 2019, doi: 10.1016/j.cemconcomp.2018.11.019.
- [26] S. H. Bong, B. Nematollahi, A. Nazari, M. Xia, and J. Sanjayan, "Efficiency of different superplasticizers and retarders on properties of 'one-part' fly ash-slag blended geopolymers with different activators," *Materials (Basel)*, vol. 12, no. 20, 2019, doi: 10.3390/ma12203410.
- [27] G. Mathew and B. M. Issac, "Effect of molarity of sodium hydroxide on the aluminosilicate content in laterite aggregate of laterised geopolymer concrete," *J. Build. Eng.*, vol. 32, p. 101486, 2020, doi: 10.1016/j.jobe.2020.101486.
- [28] X. Guo, H. Shi, and W. A. Dick, "Compressive strength and microstructural characteristics of class C fly ash geopolymer," *Cem. Concr. Compos.*, vol. 32, no. 2, pp. 142–147, 2010, doi: 10.1016/j.cemconcomp.2009.11.003.
- [29] R. Cornelis, H. Priyosulistyo, I. Satyarno, and Rochmadi, "Workability and Strength Properties of Class C Fly Ash-Based Geopolymer Mortar," in *MATEC Web of Conferences*, 2019, vol. 258, p. 01009, doi: 10.1051/mateconf/201925801009.
- [30] Kementerian Pekerjaan Umum dan perumahan Rakyat, "Spesifikasi Umum 2018 untuk Pekerjaan Konstruksi Jalan dan Jembatan," Kementerian PUPR Bina Marga, no. 02/SE/Db/2018. Jakarta Selatan, 2018.