













- [12] C.-B. Zhang et al., "Delving Deep Into Label Smoothing," *IEEE Transactions on Image Processing*, vol. 30, pp. 5984–5996, 2021, doi:10.1109/tip.2021.3089942.
- [13] M. Sayemuzzaman and M. K. Jha, "Seasonal and annual precipitation time series trend analysis in North Carolina, United States," *Atmospheric Research*, vol. 137, pp. 183–194, Feb. 2014, doi:10.1016/j.atmosres.2013.10.012.
- [14] Q. Wen, L. Sun, F. Yang, X. Song, J. Gao, X. Wang and H. Xu, "Time series data augmentation for deep learning: A survey," *arXiv preprint arXiv:2002.12478*, 2020.
- [15] F. Karim, S. Majumdar, H. Darabi, and S. Chen, "LSTM Fully Convolutional Networks for Time Series Classification," *IEEE Access*, vol. 6, pp. 1662–1669, 2018, doi: 10.1109/access.2017.2779939.
- [16] W. Zheng and G. Chen, "An Accurate GRU-Based Power Time-Series Prediction Approach With Selective State Updating and Stochastic Optimization," *IEEE Transactions on Cybernetics*, vol. 52, no. 12, pp. 13902–13914, Dec. 2022, doi: 10.1109/tyb.2021.3121312.
- [17] J. Fan, K. Zhang, Y. Huang, Y. Zhu, and B. Chen, "Parallel spatio-temporal attention-based TCN for multivariate time series prediction," *Neural Computing and Applications*, vol. 35, no. 18, pp. 13109–13118, May 2021, doi: 10.1007/s00521-021-05958-z.
- [18] F. Ramzan et al., "A Deep Learning Approach for Automated Diagnosis and Multi-Class Classification of Alzheimer's Disease Stages Using Resting-State fMRI and Residual Neural Networks," *Journal of Medical Systems*, vol. 44, no. 2, Dec. 2019, doi: 10.1007/s10916-019-1475-2.
- [19] F. Wang, K. Li, and Y. Liu, "Optimal water-cement ratio of cement-stabilized soil," *Construction and Building Materials*, vol. 320, p. 126211, Feb. 2022, doi: 10.1016/j.conbuildmat.2021.126211.
- [20] O. Lotfi-Omran, A. Sadrmomtazi, and I. M. Nikbin, "A comprehensive study on the effect of water to cement ratio on the mechanical and radiation shielding properties of heavyweight concrete," *Construction and Building Materials*, vol. 229, p. 116905, Dec. 2019, doi:10.1016/j.conbuildmat.2019.116905.
- [21] X. Cai, T. Xu, J. Yi, J. Huang, and S. Rajasekaran, "Dtwnet: a dynamic time warping network," *Proceedings of the 33rd International Conference on Neural Information Processing Systems*. Curran Associates Inc., Red Hook, NY, USA, Article 1044, 11640–11650, 2019
- [22] S. Hansun, "A new approach of moving average method in time series analysis," *2013 Conference on New Media Studies (CoNMedia)*, Nov. 2013, doi: 10.1109/conmedia.2013.6708545.
- [23] Z. Zhao, Z. Wu, Y. Zheng, and P. Ma, "Recurrent neural networks for atmospheric noise removal from InSAR time series with missing values," *ISPRS Journal of Photogrammetry and Remote Sensing*, vol. 180, pp. 227–237, Oct. 2021, doi: 10.1016/j.isprsjprs.2021.08.009.
- [24] W. Yu, I. Y. Kim, and C. Mechefske, "Analysis of different RNN autoencoder variants for time series classification and machine prognostics," *Mechanical Systems and Signal Processing*, vol. 149, p. 107322, Feb. 2021, doi: 10.1016/j.ymsp.2020.107322.
- [25] N. Srivastava, G. Hinton, A. Krizhevsky, I. Sutskever, and R. Salakhutdinov, "Dropout: a simple way to prevent neural networks from overfitting," *J. Mach. Learn. Res.*, vol. 15, no. 1, pp. 1929–1958, 2014.
- [26] T. Szandała, "Review and Comparison of Commonly Used Activation Functions for Deep Neural Networks," *Studies in Computational Intelligence*, pp. 203–224, Jul. 2020, doi: 10.1007/978-981-15-5495-7\_11.
- [27] L. Hui, M. Belkin, "Evaluation of neural architectures trained with square loss vs cross-entropy in classification tasks," *arXiv preprint arXiv:2006.07322*, 2020.
- [28] H. J. Kwon, M. J. Kim, J. W. Baek, and K. Chung, "Voice Frequency Synthesis using VAW-GAN based Amplitude Scaling for Emotion Transformation," *KSII Transactions on Internet and Information Systems*, vol. 16, no. 2, Feb. 2022, doi: 10.3837/tiis.2022.02.018.
- [29] Y. Yu, X. Si, C. Hu, and J. Zhang, "A Review of Recurrent Neural Networks: LSTM Cells and Network Architectures," *Neural Computation*, vol. 31, no. 7, pp. 1235–1270, Jul. 2019, doi:10.1162/neco\_a\_01199.
- [30] K. Smagulova and A. P. James, "A survey on LSTM memristive neural network architectures and applications," *The European Physical Journal Special Topics*, vol. 228, no. 10, pp. 2313–2324, Oct. 2019, doi:10.1140/epjst/e2019-900046-x.
- [31] B. U. Jeon, K. Chung, "CutPaste-Based Anomaly Detection Model using Multi Scale Feature Extraction in Time Series Streaming Data," *KSII Transactions on Internet and Information Systems*, vol. 16, no. 8, Aug. 2022, doi: 10.3837/tiis.2022.08.018, 2022
- [32] H. Yoo, R. C. Park, K. Chung, "IoT-Based Health Big-Data Process Technologies: A Survey," *KSII Transactions on Internet and Information Systems*, vol. 15, no. 3, Mar. 2021, doi:10.3837/tiis.2021.03.009.
- [33] G.-I. Kim, H. Yoo, H.-J. Cho, and K. Chung, "Defect Detection Model Using Time Series Data Augmentation and Transformation," *Computers, Materials & Continua*, vol. 78, no. 2, pp. 1713–1730, 2024, doi: 10.32604/cmc.2023.046324.