



















- [33] M. N. Soe Htet, H. Wang, L. Tian, V. Yadav, H. A. Samoon, and B. Feng, "Integrated Starches and Physicochemical Characterization of Sorghum Cultivars for an Efficient and Sustainable Intercropping Model," *Plants*, vol. 11, no. 12, p. 1574, Jun. 2022, doi:10.3390/plants11121574.
- [34] S. M. Chisenga, T. S. Workneh, G. Bultosa, and M. Laing, "Characterization of physicochemical properties of starches from improved cassava varieties grown in Zambia," *AIMS Agriculture and Food*, vol. 4, no. 4.
- [35] P. Wei *et al.*, "Effects of composition, thermal, and rheological properties of rice raw material on rice noodle quality," *Front. Nutr.*, vol. 9, p. 1003657, Sep. 2022, doi: 10.3389/fnut.2022.1003657.
- [36] M. Niu, G. G. Hou, L. Wang, and Z. Chen, "Effects of superfine grinding on the quality characteristics of whole-wheat flour and its raw noodle product," *Journal of Cereal Science*, vol. 60, no. 2, pp. 382–388, Sep. 2014, doi: 10.1016/j.jcs.2014.05.007.
- [37] I. A. Wani, S. N. Andrabi, D. S. Sogi, and I. Hassan, "Comparative study of physicochemical and functional properties of flours from kidney bean (*PHASEOLUS VULGARIS* L.) and green gram (*VIGNA RADIATA* L.) cultivars grown in INDIAN temperate climate," *Legume Science*, vol. 2, no. 1, p. e11, Mar. 2020, doi: 10.1002/leg3.11.
- [38] Miftakhussolikah *et al.*, "Cooking Characterization of Arrowroot (*Maranta arundinaceae*) Noodle in Various Arenga Starch Substitution," vol. 15, no. 2, pp. 107–206, 2016.
- [39] H. Herawati, E. Kamsiati, and S. Sunarmani, "Formulation of Food Ingredients (Peanut Flour, Egg Yolks, Egg Whites, and Guar Gum) to the Characteristics of Gluten-Free Noodles," *IJTech*, vol. 12, no. 3, p. 602, Jul. 2021, doi: 10.14716/ijtech.v12i3.4139.
- [40] A. B. Puspitasari, G. J. Manuhara, D. L. N. Fibri, and D. R. A. Muhammad, "Evaluating Arrowroot Starch Modification and Application in Wet Noodles," *JELS*, vol. 12, no. 1, pp. 1–8, Feb. 2022, doi: 10.21776/ub.jels.2022.012.01.01.
- [41] F. Violalita, Evawati, S. Syahrul, H. F. Yanti, and K. Fahmy, "Characteristics of Gluten-Free Wet Noodles Substituted with Soy Flour," *IOP Conf. Ser.: Earth Environ. Sci.*, vol. 515, no. 1, p. 012047, Jun. 2020, doi: 10.1088/1755-1315/515/1/012047.
- [42] S. Punia, S. B. Dhull, K. S. Sandhu, M. Kaur, and S. S. Purewal, "Kidney bean (*PHASEOLUS VULGARIS*) starch: A review," *Legume Science*, vol. 2, no. 3, p. e52, Sep. 2020, doi: 10.1002/leg3.52.
- [43] R. Chang, S. Liu, L. Zhu, and C. Zhou, "Morphological Structure, Physicochemical Properties Analysis and Application in Processing Vermicelli of the Kidney Bean Starch Grown in Qianjiang, China," 2018.
- [44] A. G. Mezgebe, J. R. N. Taylor, and H. L. De Kock, "Influence of Waxy (High Amylopectin) and High Protein Digestibility Traits in Sorghum on Injera Sourdough-Type Flatbread Sensory Characteristics," *Foods*, vol. 9, no. 12, p. 1749, Nov. 2020, doi:10.3390/foods9121749.
- [45] H. N. Jang, T. R. Kumayas, and A. Romulo, "Physicochemical and sensory evaluation of shirataki noodles prepared from porang and tapioca flours," *IOP Conf. Ser.: Earth Environ. Sci.*, vol. 1169, no. 1, p. 012101, Apr. 2023, doi: 10.1088/1755-1315/1169/1/012101.
- [46] H. Davis *et al.*, "Phenotypic Diversity of Colored Phytochemicals in Sorghum Accessions With Various Pericarp Pigments," in *Polyphenols in Plants*, Elsevier, 2019, pp. 123–131. doi:10.1016/B978-0-12-813768-0.00008-6.
- [47] P.-H. Huang, Y.-T. Cheng, Y.-J. Chan, W.-C. Lu, and P.-H. Li, "Effect of Heat Treatment on Nutritional and Chromatic Properties of Mung Bean (*Vigna radiata* L.)," *Agronomy*, vol. 12, no. 6, p. 1365, Jun. 2022, doi: 10.3390/agronomy12061365.
- [48] I. E. Mbaeyi-Nwaoha, C. G. Mgbemere, and N. C. Okoronkwo, "Quality evaluation of formulated instant noodles from wheat, rice (*Oryza sativa*) and mushroom (*Agaricus bisporus*) flour blends," *Toros University JFNG*, vol. 1, no. 1, pp. 55–76, Dec. 2022, doi:10.58625/jfng-1852.
- [49] H. Tan, T. Tan, and A. M. Easa, "The use of selected hydrocolloids to enhance cooking quality and hardness of zero-salt noodles," *Int J of Food Sci Tech*, vol. 53, no. 7, pp. 1603–1610, Jul. 2018, doi:10.1111/ijfs.13742.
- [50] Z. Ahmad *et al.*, "The Influence of Fenugreek Seed Powder Addition on the Nutritional, Antioxidant, and Sensorial Properties of Value-Added Noodles," *Journal of Food Quality*, vol. 2022, pp. 1–10, Sep. 2022, doi: 10.1155/2022/4940343.
- [51] S. Sumardiono, B. Jos, M. F. Z. Antoni, Y. Nadila, and N. A. Handayani, "Physicochemical properties of novel artificial rice produced from sago, arrowroot, and mung bean flour using hot extrusion technology," *Heliyon*, vol. 8, no. 2, p. e08969, Feb. 2022, doi: 10.1016/j.heliyon.2022.e08969.
- [52] X. Ning *et al.*, "Evaluation of passion fruit mesocarp flour on the paste, dough, and quality characteristics of dried noodles," *Food Science & Nutrition*, vol. 10, no. 5, pp. 1657–1666, May 2022, doi:10.1002/fsn3.2788.
- [53] Y. Sahasakul *et al.*, "Nutritional Compositions, Phenolic Contents, and Antioxidant Potentials of Ten Original Lineage Beans in Thailand," *Foods*, vol. 11, no. 14, p. 2062, Jul. 2022, doi: 10.3390/foods11142062.
- [54] P. Pontieri *et al.*, "Chemical Composition, Fatty Acid and Mineral Content of Food-Grade White, Red and Black Sorghum Varieties Grown in the Mediterranean Environment," *Foods*, vol. 11, no. 3, p. 436, Feb. 2022, doi: 10.3390/foods11030436.
- [55] N. F. Sadek, R. S. Hamidah, and I. A. Murwani, "The nutritional content, omega fatty acids, and amino acids profiles of sorghum-moringa substituted tapioca noodles," *IOP Conf. Ser.: Earth Environ. Sci.*, vol. 1169, no. 1, p. 012097, Apr. 2023, doi: 10.1088/1755-1315/1169/1/012097.
- [56] M. C. L. Lanorio, B. R. A. Lalap, P. A. Gonzales, M. C. P. Maneja, and A. B. Castaneda, "Proximate Composition, Mineral Content, Cooking Quality, and Sensory Properties of Kalinga Mix and Moringa Noodles," *Open Science Journal*, 2022.
- [57] S. Yalcin, "Quality characteristics, mineral contents and phenolic compounds of gluten free buckwheat noodles," *J Food Sci Technol*, vol. 58, no. 7, pp. 2661–2669, Jul. 2021, doi: 10.1007/s13197-020-04772-0.